

# Index

- Absolute pressure 21
- Absolute streamlines 42
- Absolute system of units 7
- Acoustic intensity method 278, 290
- Adiabatic change 18
- Aerofoil 162
  - section 162
- Air bubble method 281
- Allievi's equation, valve closure 246
- Anemometer
  - hot-wire 184–5
  - interference fringe 186
  - laser Doppler 185–6
  - reference beam 185, 186
  - single-beam 186
- Angle of attack, wing 163
- Angular momentum
  - conservation 76–8
  - equation of 76–7
- Animation method 278
- Applications
  - Bernoulli's equation 62–70
  - dimensional analysis 172, 4
  - equation of momentum 72–6
- Appolonius circles 208
- Archimedes 34
  - principle 34
- Area colouring manifestation method 278
- Area flowmeter 189–90
  - float-type 189–90
- Aspect ratio, wing 163
- Atmospheric pressure 20, 21
  - standard 20
- Attachment amplifier 193
  
- Backward difference 250
- Ball valve, loss factor 131
- Bars 20
- Base units 6–7
- Bazin equation, open channel 138
- Beam-Warming method 257
- Bellows, pressure gauges 28–9
- Bend, pipes 125–7
  
- Bernoulli 60
  - equation 56–70
    - applications 62–70
- Blade 162
- Body force 85
- Borda–Carnot, head loss 74
- Boundary element method 269–73
  - Green's formula 269
  - panel method 269
- Boundary layer 101–6, 148
  - development 102–4
  - displacement thickness 103
  - equation of motion 104–5
  - main flow 101
  - momentum thickness 103, 104
  - separation 105–6
  - thickness 103
  - transition zone 104
- Boundary-fitted grid, finite volume method 262
- Bourdon
  - gauge 28–9
  - tube 28
    - pressure gauges 28–9
- Boyle's–Charles' law 17
- Branch pipes 127, 128
- Buckingham's  $\pi$  Theorem 172
- Bulk modulus 16, 223
- Buoyancy 33–5
  - Archimedes' principle 34
- Bursting
  - phenomenon, Kline 274
  - process 98
- Butterfly valves 129–30
  
- Camber line 163
- Capillarity 14–15
  - correction 15
  - and liquid surface 15
- Cascade 166, 167
- Cauchy–Riemann equations 202
- Cavitation 167–9
  - number 169

- CCD camera 287
- Central difference 251
- Centre of pressure 31
- CGS system, units 7
- Change in flow quantity, pipe line 242–3
- Characteristic curve, pumping 133
- Chattock tilting manometer 28
- Chemical reaction tracer method 276, 283
- Chezy's formula, open channel 137
- Choke 121
  - number 121
- Choked flow 229
- Chord length 162
- Circular
  - pipes, flow 91–4
  - water channel 139–40
- Circulating flume, model testing 178
- Circulation 50–1
- Cocks 130–1
  - loss factor 130
- Coefficient
  - of contraction 67
  - of diffusion 88
  - of discharge 64, 67
  - drag 163
  - friction drag 158
  - interference 167
  - lift 163
  - moment 163
  - Pitot tube 182
  - of velocity 66, 67
  - of viscosity 9
- Colour streak method 279–83
- Complex
  - potential 201–3
  - velocity 202
- Compressibility 6, 16–17
- Compressible fluids 6, 46–7, 218–37
  - finite difference 257–9
- Compression wave, propagation 234
- Computational fluid mechanics, 249–73
- Computer tomography 278, 287
- Computer-aided
  - flow visualisation (CAFV) 274
  - visualisation 277, 286–90
- Cone
  - drag coefficient 151
  - supersonic velocity 231
- Conformal mapping 212–16
- Conjugate complex, velocity 202
- Conservation
  - of angular momentum 76–8
  - of energy 56–70
  - of mass, principle of 56
- Constant
  - discharge, water channels 142–3
  - gas 17
  - pressure, specific heat 18
  - specific energy 143, 144
  - volume, specific heat 18
  - water depth 143–4
- Contact angle 14
- Continuity equation 55–6, 88
  - viscous fluid 82–3
- Contour
  - manifestation method 278
  - presentation 288
- Contraction, coefficient of 67
- Control volume 71, 262, 263
- Convective accelerations 87
- Convergent
  - nozzle 228–9
  - pipes 125
- Convergent–divergent nozzle 229–30
- Conversion of units, pressure 21
- Correction
  - capillarity 15
  - Pitot tube 225–6
- Correlation 95
- Couette flow, viscosity 9
- Couette–Poiseuille flow 91
- Critical
  - density 229
  - depth 142
  - pressure 229
  - Reynolds number 46, 154
  - temperature 229
  - velocity 44, 46, 143, 229
- Curl 49
- Cylinder
  - drag 150–1
    - coefficient 151
  - flow around 152, 153
  - pressure distribution 152
- Cylinder-type, Pitot tube 182–4
- Cylindrical coordinates 87
  - rotational motion 36
- d'Alembert's paradox 152
- Darcy–Weisbach equation 115
- De Laval nozzle 229–30
- Density 8
  - correlation method 277
  - critical 229
- Depth, critical 142
- Depth tuft method 275
- Derived units 7
- Development
  - boundary layer 102–4
  - lift 161–2
- Diaphragm, pressure gauges 28–9
- Differential manometer 27–8
- Dimension 8
- Dimensional analysis 171–4
  - applications 172–4
- Direct simulation, turbulence 261–2
- Disc valve 131
- Discharge
  - coefficient of 67
  - pumping 133
- Discrete vortex
  - element 271
  - method 272

- Discretisation 265
- Displacement thickness, boundary layer 103
- Divergence 83
- Divergent pipes 123–5
- Division of elements, finite element method 264
- Doppler effect 224
- Doublet 208
- Drag
  - of a body 149–61
  - coefficient 149–50, 163
  - cone 151
  - cylinder 151
  - hemisphere 151
  - oblong board 151
  - passenger car 151
  - cylinder 150 1
  - flat plate 156–60
  - form 149
  - friction 149, 150
  - ideal fluid 150–3
  - pressure 149, 150
  - sphere 156
  - turbulent boundary layer 158 60
  - twin vortices 153
  - viscous fluid 153–6
- Dynamic pressure 60
- Dynamic temperature 225
- Dynamic viscosity 9
  
- Eddying water currents 50
- Efficiency, propeller 75–6
- Ekman 46
- Elastic-type pressure gauges 28–9
- Elbow pipes 126, 127
- Electric-type pressure gauges 29–30
- Electrically controlled tracer method 276, 283
- Electrolytic colouring method 276
- Electrolytic corrosion method 275
- Electrolytic precipitation method 282
- Energy
  - conservation of 56–70
  - internal 219
  - kinetic 56
  - law of conservation 56
  - line 62
  - potential 56
- Enthalpy 219
- Entrance length, pipes 112
- Entrance region, pipes 112
- Entropy 220
- Equation-overlapping elements, finite element method 267
- Equations
  - of angular momentum 76–7
  - of Blasius 116
  - of Itaya 116
  - of Kármán–Nikuradse 116
  - of momentum 70–1
  - application 72–6
  - of motion
    - boundary layer 104–5
    - Euler's 59
    - of Nikuradse 116
- Equi-value area
  - manifestation method 278
  - presentation 289
- Equiaccelerated straight-line motion, relatively stationary state 35–6
- Euler 5, 59
  - equation of motion 59, 197–8
- Eulerian method, flow 41
- Examples, potential flow 203–12
- Experimental visualisation methods 274
- Exterior flows 148–70
  
- Fanno flow 235–6
- Fanno line 236
- Finite difference
  - compressible fluid 257–9
  - indication 249–51
  - method 249–62
  - turbulence 259 62
- Finite element method 264–9
  - division of elements 264
  - equation-overlapping elements 267
  - Galerkin method 266
  - interpolating function 266–7
  - weighted residuals 265–6
- Finite volume method 262–4
  - boundary-fitted grid 262
  - control volume 262, 263
  - preservative form 262
  - structured grid 262
  - unstructured grid 262, 264
- Five-hole spherical Pitot tube 183, 184
- Flat plate
  - drag 156–60
  - laminar boundary layer 157–8
- Float-type, area flowmeter 189–90
- Floating sawdust method 282
- Floating tracer method 276, 281
- Flow
  - around cylinder 152, 153
  - choked 229
  - circular pipes 91–4
  - contraction, losses 120–1
  - Couette–Poiseuille 91
  - curved pipe 72
  - discharge, measurement 186–95
  - Eulerian method 41
  - expansion, losses 119–20
  - Fanno 235–6
  - forced vortex 50
  - free vortex 50
  - irrotational 49, 199
  - Lagrangian method 41
  - laminar 44–6
  - one-dimensional 43–4, 55–81
  - parallel plates 9, 88–91
  - in pipes 110–35
  - potential 199

- Flow (*contd*)
  - Rayleigh 235–6
  - resistance, sphere 172–4
  - restrictions 187–8
    - nozzle 187, 188
    - orifice 187
    - Venturi tube 187, 188–9
  - rotational 50
  - steady 43
  - synthesising 206–12
  - three-dimensional 43
  - turbulent 44–6
  - two-dimensional 43
  - unsteady 43
  - velocity
    - coefficient, open channel 137
    - measurement 182–6
  - visualisation 274–90
    - computer-aided (CAFV) 274
- Flowmeter
  - area 189–90
  - fluidic 193–4
  - magnetic 191–2
  - positive displacement 190
  - turbine 190–1
  - ultrasonic 192–3
  - vortex-shedding 193
- Fluctuating velocities, velocity distribution 95
- Fluidic
  - flowmeter 193–4
  - oscillator 193
- Fluids
  - at rest, pressure 23–6
  - compressible 6, 46–7
  - ideal 6
  - incompressible 6, 46–7, 251–7
  - Newtonian 13
  - non-Newtonian 13
  - perfect 6
- Fluorescent mini-tuft method 280
- Force
  - body 85
  - inertial 85
  - jet 72–4
  - pressure 85
  - restoring 35
  - viscous 85–6
- Forced vortex, flow 50
- Forces acting on a body 149
- Form drag 149
- Forward difference 250
- Free vortex
  - flow 50
  - potential flow 205–6
- Friction
  - coefficient, pipes 115
  - drag 149, 150
    - coefficient 158
  - pipes 114–18
  - torque, revolving disc 160–1
  - velocity 98
- Frictional loss, pipes 118–19
- Froude 146
  - number 145
    - law of similarity 176–7
- Function mapping 213
- Galerkin method, finite element method 266
- Ganguillet–Kutter equation, open channel 137–8
- Gas
  - constant 17, 219
  - ideal 17
  - perfect 17–18
- Gases 6
- Gate valves 128, 129
- Gauge pressure 21
- Gauss–Seidel sequential iteration method 253
- Geometrical moment of inertia 31
- Globe valves 128, 129
- Göttingen University 163
- Göttingen-type manometer 28
- Green's formula, boundary element method 269
- Gyrostatics, rotational motion 36
- Hagen 93
- Hagen–Poiseuille formula 93
- Head loss, Borda–Carnot 74
- Head pumping 133
- Height of liquid surface 14–15
- Helmholtz 5
  - vortex theory 88
- Hemisphere, drag coefficient 151
- Henry's Law 168
- Higher critical Reynolds number 46
- Holographic Particle Imaging Velocimetry (HPIV) 277
- Hot-wire anemometer 184–5
- Hurricanes 50
- Hydraulic
  - grade line 62
  - jump 144–6
  - mean depth
    - open channel 137
    - pipes 118
  - press 23
- Hydraulics 1
- Hydrodynamics 1
- Hydrogen bubble method 276, 283
- Ideal fluids 6, 197–217
- Ideal drag 150–3
- Ideal gas 6, 17–18
- Image
  - presentation 274
  - processing 274
- Implicit Approximate Factorisation (IAF) method 257
- Inclined manometer 28
- Incompressible fluids 6, 46–7, 251–7

- Indication, finite difference 249–51
- Inertia term 87
- Inertial force 85
- Injected tracer method 276
- Injection
  - path line method 276
  - streak line method 276
- Inlet
  - length, pipes 112
  - loss factor 121
  - region, pipes 112
- Instantaneous valve closure 245–6
- Interference
  - coefficient 167
  - fringes 284
    - anemometer 186
- Internal energy 219
- Interpolating function, finite element
  - method 266–7
- Irrotational flow 49, 199
- Isaac Newton 10
- Isentropic
  - flow 226–30
  - index 18, 219
- Isobaric change 18
- Isochoric change 18
- Isothermal change 18
- Jet
  - force of 72–4
  - plane 231
  - pump 75
- Joukowski's hypothesis 166
- Journal bearing, theory of lubrication 108
- Junction pipes 127, 128
- k- $\epsilon$*  model 260
- Kármán 101
  - vortex 153
- Kinematic
  - viscosity 11
    - turbulent flow 96
- Kinetic energy 56
- Kline, bursting phenomenon 274
- Kutta condition 166
- Kutta–Joukowski equation 162
- Kutta condition 215
- La Systéme International d'Unités, *see* SI units
- Lagrangian method, flow 41
- Laminar
  - boundary layer, flat plate 157–8
  - flow 44–6
    - pipes 115
    - velocity distribution 88–94
  - frictional resistance 239–40
  - sublayer 98
- Laplace's equation 199
- Large Eddy Simulation (LES), turbulence 261
- Laser Doppler
  - anemometer 185–6
  - velocimeter, three-dimensional 290
- Laser holographic interferometer method 277, 285, 287
- Laser light sheet method 277
- Laser Speckle Method (LSM) 277
- Law of conservation of energy 56
- Law of similarity 175–80
  - Froude number 176–7
  - Mach number 177
  - non-dimensional groups 175–7
  - Weber number 177
- Law of viscosity, Newton 10
- Leading edge 162
- Length, chord 162
- Leonardo da Vinci 3–4
- Lift 161–7
  - coefficient 163
  - development 161–2
  - stall 164
  - stalling angle 164
  - wing 162–7
- Lift–drag
  - polar, wing 165
  - ratio 165
- Liquids 6
  - column, U-tube 238–40
  - rotation and spinning 47–50
  - surface
    - and capillarity 15
    - height of 14–15
- Logarithmic velocity distribution 100–1
- Loss factor
  - ball valve 131
  - cocks 130
  - disc valve 131
  - needle valve 131
  - relief valves 131
  - spool valve 131
- Loss of head 62, 112
- Losses
  - flow contraction 120–1
  - flow expansion 119–20
  - inlet loss factor 121
  - in pipe lines 119–32
- Lower critical Reynolds number 46
- Lubrication, theory of 106–9
- Luminescent mini-tuft method 275
- MacCormack method 257
- Mach 178
  - angle 224
  - cone 224
  - number 223–4
    - law of similarity 177
    - sonic flow 177
    - subsonic flow 177
    - supersonic flow 177
    - transonic flow 177
  - wave 224
- Mach–Zehnder interferometer method 277

- Magnetic flowmeter 191–2
- Main flow, boundary layer 101
- Manning equation, open channel 138
- Manometer 26–8
  - Chattock tilting 28
  - differential 27–8
  - Göttingen-type 28
  - inclined 28
  - U-tube 26
- Mapping
  - conformal 212–16
  - function 213
- Marker and Cell (MAC) method 254
- Mass
  - flow rate 56
  - transfer method 275
- Maximum thickness, wing 163
- Mean free path 6
- Measured data visualisation 289–90
  - method 278
- Measurement
  - flow discharge 186–95
  - flow velocity 182–6
  - pressure 26–30
- Mercury, surface tension 13
- Metacentre 35
- Metacentric height 35
- Method of characteristics 257–9
- Methyl alcohol, surface tension 13
- Metres of water column, pressure 20
- Micromanometers 28
- Mixing length
  - Prandtl's hypothesis 97
  - turbulent flow 97
- MKS system, units 7
- Model testing 177–9
  - circulating flume 178
  - towing tank 178
  - wind tunnel 178, 179
- Moiré method 284
- Moment
  - coefficient 163
  - of inertia 40
    - geometrical 31
- Momentum
  - equations 70–1
  - law of conservation 70–6
  - thickness, boundary layer 103, 104
- Moody diagram 117
  
- Nabla 49
- National Advisory Committee for
  - Aeronautics (NACA) 163
- National Aeronautics and Space
  - Administration (NASA) 163
- Navier 5, 87
- Navier–Stokes equation, viscous fluid 83–8
- Needle valve, loss factor 131
- Newton, law of viscosity 10
- Newtonian fluids 13
- Non-dimensional groups
  - law of similarity 175–7
    - Reynolds number 175–6
- Non-electrolytic reaction method 276
- Non-Newtonian fluids 13
- Normal shock wave 234
- Nozzle, flow restrictions 187, 188
- Numerical
  - data visualisation method 278, 287–9
  - viscosity 262
- Numerical fluid mechanics 249–73
  
- Oblique shock wave 234
- Oblong board, drag coefficient 151
- Oil-dots method 275
- Oil-film method 275
- One-dimensional flow 43–4, 55–81
  - compressible flow 224–6
- One-equation model 260
- Open channel 136–8
  - Bazin equation 138
  - Chezy's formula 137
  - flow velocity coefficient 137
  - Ganguillet–Kutter equation 137–8
  - hydraulic mean depth 137
  - Manning equation 138
  - shape of 138, 141
  - specific energy 141–2
  - wetted perimeter 137
- Optical
  - method 276
  - visualisation method 284–5
- Orifice 66
  - flow restrictions 187
  - plate 187
- Oval gear type, positive displacement
  - flowmeter 190
  
- Panel method, boundary element method
  - 269
- Parallel
  - flow 203–4
  - plates, flow 9, 88–91
- Particle Imaging Velocimetry (PIV) 277, 286
- Particle Tracking Velocimetry (PTV) 286
- Pascal 20, 23
  - law 23
- Passenger car, drag coefficient 151
- Path line 41, 42
- Perfect fluids 6, 197–217
- Perfect gas 6, 17–18
- Pipe lines
  - change in flow quantity 242–3
  - losses in 119–32
  - pressure propagation 240–1
  - pressure wave velocity 243–4
  - total loss 131–2
- Pipes 110–35
  - bend 125–7
  - branch 127, 128
  - convergent 125
  - divergent 123–5
  - elbow 126, 127
  - entrance length 112

- entrance region 112
- friction 114–18
  - coefficient 115
  - pressure loss 174–5
- frictional loss 118–19
- hydraulic mean depth 118
- inlet length 112
- inlet region 112
- junction 127, 128
- laminar flow 115
- suddenly expanding 74
- turbulent flow 115–18
- wetted perimeter 118
- Pitot 64
  - tube 64–6, 182–4
    - coefficient 182
    - correction 225–6
    - cylinder-type 182–4
    - five-hole spherical 183, 184
    - surface 184
    - total pressure 184
- Point vortex 206
- Poiseuille 93, 94
- Polytropic change 18
- Polytropic exponent 18
- Positive displacement
  - flowmeter 190
  - oval gear type 190
  - roots-type 190
- Potential energy 56
- Potential flow 197, 199
  - examples 203–12
  - free vortex 205–6
  - source 205–6
- Potential head 60
- Power
  - pump 78
  - water wheel 78
- Prandtl–Meyer expansion 233
- Prandtl 96
  - hypothesis on mixing length 97
- Preservative form, finite volume method 262
- Pressure
  - absolute 21
  - atmospheric 20, 21
  - bars 20
  - centre of 31
  - conversion of units 21
  - critical 229
  - distribution, cylinder 152
  - drag 149, 150
  - dynamic 60
  - fluid at rest 23–6
  - force 20, 85
  - gauges 21, 28–30
    - bellows 28–9
    - Bourdon tube 28–9
    - diaphragm 28–9
    - elastic-type 28–9
    - electric-type 29–30
  - head 60
    - loss, pipe friction 174–5
    - measurement 26–30
    - metres of water column 20
    - Pascal (Pa) 20
    - propagation, pipe line 240–1
    - recovery efficiency 125
    - stagnation 60
    - static 60
    - total 60
    - units of 20–1
      - and velocity 254
    - wave velocity, pipe line 243–4
- Pressure force 20, 85
- Pressure-sensitive-paint method 275
- Pressure-sensitive-paper method 275
- Principle of conservation of mass 56
- Propagation, compression wave 234
- Propeller, efficiency 75–6
- Pump
  - discharge 133
  - jet 75
  - power 78
- Pumping 132–3
  - characteristic curve 133
  - discharge 133
  - head 133
  - resistance curve 133
  - shaft horsepower 133
  - total head 132
  - water horsepower 133
- Rankine–Hugoniot equations 233
- Ratio, specific heat 18, 219
- Rayleigh
  - flow 235–6
  - line 236
- Recovery efficiency, pressure 125
- Rectangular water channel 140–1
- Reference beam, anemometer 185, 186
- Regular function 202
- Relative streamlines 42
- Relatively stationary state 35–7
  - equiaccelerated straight-line motion 35–6
  - rotational motion 36–7
- Relief valves, loss factor 131
- Remote sensing 278
- Residuals 265
- Resistance curve, pumping 133
- Restoring force 35
- Revolving disc, friction torque 160–1
- Reynolds 46, 47
  - experiment 45
  - number 46
    - critical 46, 154
    - higher critical 46
    - lower critical 46
    - non-dimensional groups 175–6
    - stress 95
- Rheological diagram 13
- Rheology 13
- Roots type, positive displacement flowmeter 190

- Rotational flow 50
- Rotational motion
  - cylindrical coordinates 36
  - gyrostatics 36
  - relatively stationary state 36–7
- Rough circular pipe, turbulent flow 116–18
- Royal Aircraft Establishment 163
  
- Schiller 46
- Schlieren
  - method 284, 285
  - photograph method 277
- Section, aerofoil 162
- Semiconductor strain gauge 29–30
- Separation
  - boundary layer 105–6
  - point 105, 153
- Shadowgraph method 276
- Shaft horsepower, pumping 133
- Shape
  - open channel 138, 141
  - streamline 3
- Shear flow 10
- Shock waves 230–5
  - normal 234
  - oblique 234
- SI units 7
- Single-beam anemometer 186
- Sink
  - and source 207–9
  - strength of 205
- Smoke method 281
- Smoke wire method 276, 283, 284
- Smooth circular pipes, turbulent flow 115–16
- Sommerfeld 108
- Sonic flow, Mach number 177
- Sonic velocity 221–3
- Source
  - potential flow 205–6
  - and sink 207–9
  - strength of 205
- Spark tracing method 276, 283, 284
- Specific energy
  - constant 143, 144
  - open channel 141–2
- Specific gravity 8
- Specific heat
  - constant pressure 18, 219
  - constant volume 18, 219
  - ratio 18, 219
- Specific volume 8
- Speckle method 277
- Sphere
  - drag 156
  - flow resistance 172–4
- Spool valve, loss factor 131
- Spread of aqua 37
- Stagnation point 64, 148
- Stagnation pressure 60
- Stall, lift 164
- Stalling angle, lift 164
- Standard atmospheric pressure 20
- Starting vortex 166, 167
- Static pressure 60
- Static temperature 225
- Steady flow 43
- Stereophotography method 284
- Stokes 5
  - theorem 51
- Streak line 41, 42
- Stream
  - function 200–1
  - and vorticity 251–4
- Stream tube 42, 43
- Streamlines 41–2
  - absolute 42
  - relative 42
  - shape 3, 155
- Strength
  - of sink 205
  - of source 205
  - vortex 206
- Strouhal number 155
- Structured grid, finite volume method 262
- Sublayer
  - laminar 98
  - viscous 98
- Subsonic flow 227
  - Mach number 177
- Successive over-relaxation (SOR) method 253
- Sudden expansion 251
  - pipe 74
- Supercavitation 168
- Supersonic
  - flow 227, 230
  - Mach number 177
  - velocity
    - cone 231
    - jet plane 231
- Surface floating tracer method 276, 281
- Surface tension 13–15
  - mercury 13
  - methyl alcohol 13
  - water 13
- Surface tuft method 280
- Suspension method 276
- Synthesising flows 206–12
  
- Temperature
  - critical 229
  - dynamic 225
  - static 225
  - total 225
- Temperature-sensitive-film method 275
- Theory of lubrication 106–9
  - journal bearing 108
  - thrust bearing 107
- Thermodynamics, second law 221
- Thermographical method 278
- Thickness, boundary layer 103
- Three-dimensional flow 43



- Three-dimensional laser Doppler velocimeter 290
- Throttle 121
- Thrust 75–6
- Thrust bearing, theory of lubrication 107
- Time line method 276
- Tornadoes 50
- Toricelli's theorem 67
- Total head 60
  - pumping 132
- Total loss, pipe line 131–2
- Total pressure 60
  - Pitot tube 184
- Total temperature 225
- Towing tank, model testing 178
- Trailing edge 162
- Transition zone, boundary layer 104
- Transonic flow, Mach number 177
- Transport equation, vorticity 88
- Tuft grid method 280
- Tuft method 275
- Tuft stick method 275
- Turbine flowmeter 190–1
- Turbulence 44–6
  - direct simulation 261–2
  - finite difference 259–62
  - large eddy simulation 261
  - model 259–60
- Turbulent boundary layer, drag 158–60
- Turbulent flow
  - kinematic viscosity 96
  - mixing length 97
  - pipes 115–18
  - rough circular pipes 116–18
  - smooth circular pipes 115–16
  - velocity distribution 94–101
- Twin vortices, drag 153
- Two-dimensional flow 43
- Two-equation model 260
- U-tube
  - liquid column 238–40
  - manometer 26
- Ultrasonic flowmeter 192–3
- Units 6–8
  - absolute system 7
  - base 6–7
  - CGS system 7
  - derived 7
  - MKS system 7
  - of pressure 20–1
  - SI 7
- Universal gas constant 219
- Unsteady flow 43, 238–48
- Unstructured grid, finite volume method 262, 264
- Upwind difference method 254
- Valves 128–30
  - butterfly 129–30
  - closure 246–7
    - Allievi's equation 246
    - instantaneous 245–6
  - gate 128, 129
  - globe 128, 129
- Variational principle 265
- Vector manifestation method 278
- Vector presentation 289
- Velocity
  - absolute 78
  - coefficient of 67
  - complex 202
  - conjugate complex 202
  - critical 44, 46, 143, 229
  - distribution
    - fluctuating velocities 95
    - laminar flow 88–94
    - logarithmic 100–1
    - turbulent flow 94–101
  - friction 98
  - head 60
  - peripheral 78
  - potential 198–200
  - and pressure 254
  - relative 78
- Vena contracta 67
- Venturi 63
  - tube 62, 63–4
    - flow restrictions 187, 188–9
- Viscosity 6, 9–13
  - coefficient of 9
  - Couette flow 9
  - dynamic 9
  - index 13
  - kinematic 11
  - Newton's law of 10
- Viscous
  - fluid 82–110
    - continuity equation 82–3
    - drag 153–6
    - Navier–Stokes equation 83–8
    - force 85–6
    - sublayer 98
- Visualisation methods 274–86
- Visualised image analysis 277, 286–7
- Volume rendering method 278
- Volumetric flow rate 56
- Vortex
  - free 205–6
  - Kármán 153
  - point 206
  - starting 166, 167
  - strength of 206
  - theory, Helmholtz 88
  - wing-bound 166
- Vortex-shedding flowmeter 193
- Vorticity 49
  - and stream function 251–4
  - transport equation 88
- Wake 102, 148

- Wall
  - attachment phenomenon 123
  - effect, *see* wall attachment phenomenon
- Wall-tracing method 274, 275, 279
- Water
  - channels 136–47
    - constant discharge 142–3
    - depth, constant 143–4
    - horsepower, pumping 133
    - surface tension 13
- Water clock 69
- Water hammer 244–7
- Water wheel, power 78
- Wave resistance 176
- Weber number, law of similarity 177
- Weighted residuals, finite element method 265–6
- Weighting function 265
- Weirs 69–70, 194–5
- Wetted perimeter
  - open channel 137
  - pipes 118
- Whirl, and rotation 47–50
- Wind tunnel, model testing 178, 179
- Wing
  - angle of attack 163
  - aspect ratio 163
  - lift 162–7
  - lift–drag polar 165
  - maximum thickness 163
- Wing-bound vortex 166
- Wire strain gauge 29–30
  
- Zero-equation model 259–60